

Nature . . . the master artist . . . works not

in lines but with masses of color and with α skill that never fails in beautifying the

In the air we see the gay plumage of a bird \dots in the water the sparkling flash of some many hued fish . . . and brought from the core of the earth, we gaze on the colorful brilliance of the gem... in the warming sun of June the soft velvety color of the rose vies with the azure of the heavens \dots while in the winter, long lavender shadows are cast upon the snow . . . wherever you see nature, you see color at its best. Thus, nature makes us aware of color . . . more and more we are ever conscious of the handiwork of nature's expert palette, mixing all the colors of the rainbow in perfect harmony in many beautiful combinations to bring the joy of living to us all.

from the stately corridors of our smartest hotels and public buildings, to the furnace in the basement . . . color is everywhere. Our automobiles in their pleasing tints . . . the clothes we wear . . . the treatment of our homes . . . all are influenced by color. We Wherever we look, today, \dots we see color. From skyscrapers to kitchen utensils \dots



schemes. Consequently, we must carefully choose the colors we use in our homes . . . we ing . . . what colors cheer and refresh us into reborn hope and energy. In short, we reactions are influenced by certain colors. This reaction to colors is not the same in all individuals . . . yet most of us react in a similar manner, particularly where colors have been properly combined, just as we react favorably to nature's perfect color must know what colors are depressing to us as individuals . . . what colors are relax-We know . . . whether consciously or unconsciously . . . that our actions and innermost must know and adhere to nature's fundamental laws of color harmony. aided by nation-wide color research laboratories . . . have called on their extensive knowledge of color to present a diversified selection of authentic color combinations ... either complementary or harmonic, or both ... for the exterior ... as well as the interior of your home.

In the pages of this "Age of Color" brochure . . . nationally-known color experts . . .

Koberta Kors.
Director, The Home Decorative Studios
The Glidden Company

FLOW OF







ing—Speed-Wall Flat Light Ivory. Walls— Speed-Wall Flat Delicate LIVING ROOM . Ceil-Green. Woodwork-Ripolin Q.D. Enamel White.

nish. Tread - Endurance Wood Stain Walnut and work-Ripolin B.L.T. En-

Floorette Varnish. Wood-

amel White. Floors-Endurance Wood Stain Ma-ple and Floorette Varnish.

Glidden Speed-Wall Flat Light Ivory. Rail-Glidden Endurance Wood Stain Walnut and Wearette Var-

HALLWAY . Walls-

ing-Speed-Wall Semi-Gloss Ivory. Walls-DINING ROOM . Ceil-Buff. Woodwork-Ripolin

THROUGH THE HOME

BY Roberta Ross

... the same pleasing, striking yet restful atmosphere ... the same unquestioned good taste . . . are all available to colorings, remember that the same completeness of choice you in your own home at very little cost. It's just a question When you see a home that delights you with its charm and of knowing how to get the desired effect.

If you decide to use color throughout your home, it is important to maintain a harmonious flow of color from one room to another. To do this, each room must be in perfect color harmony. The color schemes between adjoining

It is not entirely necessary to have color everywhere in your home. Your rugs, books, pictures and furniture may demand a neutral theme for the living room or dining room. This permits you to give vent, then, to your love of gay color for the other rooms in the home . . . the bedroom, the rooms or floor levels must interlock harmoniously.

and contentment, that it truly deserves much of your time and thought, in selecting the best paints and decorative The home is so important in its contribution to happiness materials to make it an ideal haven of peace and beauty. breakfast nook, the bathroom and the kitchen.

(hoose colors for better light ... better sight ... bay or night

Colors that reflect the light poorly should be avoided in rooms that receive little natural sunlight.

A careful study of the varying light reflection values of standard Glidden wall and ceiling colors as shown below will aid you in selecting correct room color schemes.





KITCHEN · Walls—
Glidden Speed-Wall SemiGloss Caen Stone. Woodwork—Ripolin Q.D. Enamel Aqua Blue. Cupboard Lining—Jap-A.Lac
Orange. Woodwork Trim
—Jap-A.Lac Rich Blue.
Floor—Glidden Floreripor—Glidden Florenamel Blue, Stippled with

Florenamel Ivory.

The Home Beautiful has Interlocking Room Color Schemes

BATHROOM · Ceiling— Speed-Wall Semi-Gloss Sil-



BEDROOM · Ceiling— Speed-Wall Flat Light Ivory, Walls—Speed-Wall Flat Light Pink. Woodwork—Ripolin Q.D. Enamel White.



Welcome-SAYS THE Cutrance .

DOORWAY . Door— Ripolin B.L. T. Enamel White. Body — Gidden Endurance Paint Cottage Brown.

. . OF YOUR HOME

possible to broaden the appearance of narrow hallways and to able colors are being used today, assuring freshness and cleanlitrance says "Welcome" to every guest, and the properly decorated and construction to convert the old-fashioned, drab, dark hallway into a pleasant, naturally lighted entryway. The hall is no longer the forgotten part of the home. It is the connecting link between different rooms and should be the source of the flow of color through the home. The decorative treatment of your hall should Choose color values which are good in normal, natural light, and also in artificial light. Careful choosing of colors makes it make them seem more spacious and airy. Many distinctive washiness for a long period of time. The trim, attractively painted en-The entrance to your home is the key to its character. Here the visitor Architects and decorators have done much in the way of design be analyzed for both daytime and night-time requirements. gets his first glimpse of the home and obtains his first impressions. hallway inside greets him with a genial friendliness.

HALL. Walls—Speed-Wall Semi-Gloss Delicate Green, Trim and Spindles—Ripolin Q.D. Ensmel White, Rail (Wood) and Treads—Endurance Wood Stain Light Mahogany and Wearette Varnish, Rail (Iron)—Jap.A.Lac Black. Arch to Living Room—Speed-Wall Flat Lt. Ivory. Doors—En-

(962...LENDS


CHEER TO GOOD LIVING

The living room is the showroom of your home. It is also the room which usually gets the most use. It must reflect its importance in relation to the other rooms, and above all it must encourage that livability which is possible only where comfort, relaxation, and informal, friendly companionship are found.


The color charts below give five alternate color schemes which are most appropriate for the living room.

Five Alternate Color Schemes

All colors in this chart are standard Glidden colors appearing on Glidden color cards.




Plenty of lamps and smart shades are needed to get the right decorative effect... the colors may blend or provide sharp contrasts ... knick knacks, careully selected and placed artistically, lend decorative interest to the living room.





LIVING ROOM · Ceiling—Speed-Wall Flat Light Tan. Walls—Speed-Wall Flat Light Ivor, Fireplace Ripolin Q.D. Enamel Aqua Blue—Floor—Natural Floors with Floorette Varnish. Woodwork—Ripolin Q.D. Enamel Colonial Ivory.

LIVING ROOM · Ceiling—Speed-Wall Seni-Gloss Blue Mist. Walls—Speed-Wall Seni-Gloss Silver. Woodwork and Fireplace—Ripolin Q.D. Enamel White. Floor—Endurance Wood Stain Walnut and Floorette Varnish.



DINING ROOM · Ceiling—Speed-Wall Flat Light Gray. Walls—Speed-Wall Flat Light Pink. Cabinet and Wood-work—Speed-Wall Semi-Gloss Elf Green.

Glidden Florenamel Blue.

DINING ROOM · Ceiling—Speed-Wall Flat Light Ivory.

Walls—Speed-Wall Flat Delicate Green. Cabinet, Mariel
and Woodwork—Ripolin Q.D. Enamel Colonial Ivory.

Floor—Natural Wood Floors with Floorette Varnish.

Cheerful Breakfast Room

Make it as bright and gay as a summer's day in the garden, or as fresh and delicate in hue as your favorite flower. Use color extensively in dishes, table cloths, draperies, walls, ceilings, floor coverings, even in the furniture itself, but be sure that your colors harmonize.

BREAKFAST ROOM (Left) · Ceiling — Speed-Wall Semi-Gloss Elf Green, Walls—Speed-Wall Flat Light Gray, Moulding—Jap-A-Lac Enamel Dark Green.

Five Smart Color Suggestions

All colors in this chart are standard Glidden colors appearing on Glidden color cards.



Give your love of color a chance to express itself... practice with paint and color... start where color is needed most—in the kitchen and the breakfast room. As you gain experience with colors, you will soon feel fully confident in your ability to plan color scheme for the rest of the home

No Breakfast Grouches Here

In the breakfast nook, where space is small, color is more important than ever. Give it character, but keep it in harmony with the adjoining kitchen or dining room.

NOOK (Right) · Ceiling—Speed-Wall Semi-Gloss Mist Blue. Walls—Speed-Wall Semi-Gloss Gean Stone. Benches and Table—Jap-A-Lac Varnish Stain Dark One. Floor—Florenamel Ivory, Stippled with Floren-



KITCHEN • Walls—Glidden Speed-Wall Semi-Gloss Sky Blue. Cup-boards—Ripolin B.L.T. Enamel Pink. Floor—Glidden Florenamel Slate, Border—Florenamel Blue.

You'll Like These Color Ideas

All colors in this chart are standard Glidden


-a pleasant room in which to work.

92 ... MAKES

KITCHEN WORK EASY
One-third of a woman's time is spent in
the kitchen and over two-thirds of her
energy is expended in the activities that

Every woman is interested in having her kitchen as pleasant as possible, and the drudgery of her work can be lessened by proper use of color. Light, airy colors can make the kitchen cheerful and gay

are carried on in the kitchen.



Paint the kitchen often . . . it costs so little, and it's really the best and surest way of keeping the kitchen spotlessly clean. As you repaint, change your color scheme . . . it's just like giving yourself a very much needed change of scenery.





-AND IN THE

You must be able to wash painted walls with Glidden Florenamel makes the trains free from tiny finger prints. A floor finished go faster and chalk marks wipe up easily and quickly.


NURSERY (Above) · Ceiling—Glidden Speed-Wall Flat Light Pink, Upper Wall—Speed-Wall Semi-Gloss Blue Mist, Lower Wall—Speed-Wall Semi-Gloss Sky Blue, Woodwork and Furniture—Ripolin B.L.T. Enamel Fink, Floor—Glidden Florenamel Red. Border—Florenamel Ivory.

Of For That Extra Room

tive color scheme will do wonders in converting Always remember that these rooms, partic-A little ingenuity, the right paint, and an attracspace in the attic or basement, ordinarily unused, into useful rooms that quickly become the most avored in the home.

ularly a basement recreation room should be so decorated as to appear light and airy.

RECREATION ROOM (Below) · Ceiling—Speed-Wall Flat Ivory. Upper Wall—Speed-Wall Flat Med. Buff. Lower Wall—Speed-Wall Semi-Gloss Florida Green. Woodwork—Jap-A-Lac White. Stair Tread—Endurance Wood Stain Maple and Floorette Varnish. Floor—Florenamel Green and Florenamel Ivory. End Table, Ash Stand and Book Case—Jap-A-Lac Enamel Mandarin Red.



ing plants are ust because heatstowed away down ceilar is no reason why they should not be attractive.

ance Wood Stain El-Ite Hygienic Kalsomine Autumn Brown. Woodwork-Endur-Wearette crete Floor Dressing Dark Drab, Furnace -Jap-A-Lac Manda-FURNACE ROOM Above) · Walls-Ad-Varnish. Floor-Conrin Red and Rich Blue. Maple and





SOOTHING (HOLL SEUMBER

Colors that deepen by artificial light and brighten by daylight are perfect for the bedroom. As such they satisfy two requisites of the bedroom—peaceful composure at going-to-bed time—cheerful activity at getting-up time.

New Bedroom Color Schemes

All colors in this chart are standard Glidden colors appearing on Glidden color cards.



Satisfy and express your personal tastes for color in the bedroom . . . it is the one room in the home which may be considered as strictly an intimate, personal and private room. Select wall, ceiling and floor colors that harmonize perfectly, then add a fresh note of color here and there in the bedroom in the form of charming accessories.



BEDROOM · Ceiling — Glidden Speed-Wall Flat Old Rose. Walls— Speed-Wall Flat Light Pink. Floor— Natural Wood Floor and Floorette Varnish.

BEDROOM · Ceiling — Speed-Wall Flat Delicate Green. Walls—Speed-Wall Semi-Gloss Ivory. Floor—Endurance Wood Stain Maple and Floorette Varnish.

BEDROOM · Ceiling — Speed-Wall Semi-Gloss White. Walls — Speed-Wall Semi-Gloss Sky Blue. Wood-Wall Semi-Gloss Day Blue, Bood-Rose. Chest—Rose Jap-A-Lac Jade Green.





BATHROOM · Ceiling — Speed-Wall Flat Light Gray, Walls-Ripolin O.D. Enamel Line Green, Tile-Ripolin Q.D. Enamel Maize, Floor-Florenamel Oak, Small Wall Cabiner-Jap-A-Lac Mandain Red

BATHROOM · Ceiling — Glidden Speed-Wall Semi-Gloss Light Orchid. Wall—Speed-Wall Semi-Gloss Orchid. Woodwork—Ripolin B.L.T. Enamel Light Gray. Floor—Glidden

Florenamel Green.

Wall Semi-Gloss Blue Mist. Walls—Speed-Wall Gloss Interior Ivory. Tile—Jap-A-Lac Coral Rose. Woodwork—Jap-A-Lac Jade Green. Floor— BATHROOM . Ceiling - Speed-

HOL HELPS YOU SING

"Morning blues" quickly disappear in a cheerfully decorated bathroom—one nishings that harmonize. The modern with bright, sparkling walls and furtrend in bathroom decoration is definitely toward gay, washable colors.

All colors in this chart are standard Glidden Additional Bathroom Colors colors appearing on Glidden color cards.

CURTAINS YOODWORK STRIPING RUGS FLOOR

Every time you apply a new color scheme you can make a room look larger or smaller-lighter You can keep your bathroom just as new and modern as you have a mind to decorate it. can get a brand new effect. Color can completely change the appearance of any type room ... it or darker-artistic or drab. A fresh coat of gay color on walls and woodwork makes old-fashioned fixtures look entirely different.

Florenamel Buff.



sive to young eyes. colors on ceiling and walls are the least offen-Painted fish, birds or flowers-stencilled on ains gives a touch to the room as pert and fresh as afford growing interest. Crisp organdy in the cur-

OLD BATHROOM WITH MODERNIZE YOUR

Although interesting changes have been made in the style and color of bathroom fixtures, as well as in the layout of bathrooms themselves, very pleasing and modern effects can be secured in Even wood floors, lack of tile, ceilings too high or too low, doors and woodwork inappropriate for bathroom use . . . the right color scheme will overcome most of these obstacles and help to make where there are open shelves, exposed pipes, oversized windows, spite of old fixtures or the size and shape of the room. a bathroom of which the home-owner can be proud.



EVERYTHING MUST BE WASHABLE

BATHROOM • Ceiling—Ripolin Q.D. Enamel White. Upper Wall—Ripolin Q.D. Enamel Aqua Blue. Lower Wall—Ripolin 3.L.T. Enamel Gloss Black. Woodwork—Ripolin Q.D. Enamel White. Wash Stand—Ripolin Q.D. Enamel Tea Rose. Small Wall Cabinet—Jap-A-Lac Rich Blue. Tile—Ripolin Q.D. Enamel Tea Rose. Floor—Glidden Florenamel Blue. Border—Florenamel Ivory. Even the most delicate pastel Glidden colors can be washed as frequently as necessary to keep the bathroom spic and span.




OUTDOOR COLOR BROUGHT INDOORS

In the sun parlor you can add a touch of brightness to your decorating scheme, using colors that blend with the outdoors as well as with the home interior.

SUN PARLOR · Walls-Glidden Speed-Wall Flat Delicate Green, Ceiling-Speed-Wall Semi-Gloss Silver, Trim-Speed-Wall Semi-Gloss White.






When painting, don't overlook the small objects around the home. Jap-A-Lac or Ripolin will quickly transform them into bright spots of cheerful color.



5. BIRD HOUSE · Roof — Jap-ALac Orange. Trim—Jap-A-Lac India
Buff.
6. FOOT STOOL · Body — Jap-A-Lac
Cold.
7. BOOKCASE · Body — Jap-A-Lac
Golden Brown. Trim—Jap-A-Lac
White.
8. TEA TABLE · Body—Jap-A-Lac
Rich Blue. Trim—Jap-A-Lac
Rich Blue. Trim—Jap-A-Lac
Gloss).







A BUTCH COLONIAL

You'll find it usually looks its best when painted in light colors.

The Dutch Colonial design, with its gambrel roof and ample space on the second floor, has become one of the most popular and practical styles of architecture used in this country.

Five Modern Color Schemes

All colors in this chart are standard Glidden colors appearing on Glidden color cards.



Be neighborly...paint your home often... select a color scheme that will not detract from the beauty of neighboring homes but which will add to the beauty of the community as a whole. Too much similarity in color schemes is monotonous, while too much contrast destroys the harmonious color beauty necessary in the community setting if the homes individually are to appear delightful in their color treatments.



DUTCH COLONIAL · Body—Glid.

den Endurance Paint White. Trim—
Endurance Paint Vert Green. Roof—
Glidden Endurance Shingle Stain Light
Green.

DUTCH COLONIAL · Body—Endurance Paint Silver Gray, Trim— Endurance Paint Fesh Tint. Roof— Endurance Shingle Stain Red. Shutfer—Endurance Paint Light Sage





PAINTED BRICK HOUSE · Body

—Endurance Paint French Gray.

Trim—Endurance Paint Thistle
Green. Roof—Endurance Shingle
Stain Medium Green.

—Glidden Liquid Cement Coating Buff, Trim—Endurance Paint Sky Blue—White Door, Roof—Endurance Shingle Stain Weathered Gray.

—Glidden Endurance Paint White. Trim—Endurance Paint Terra Cotta. Roof—Glidden Endurance Shingle

Stain Maroon.

FOR BRICK HOMES

While brick is one of the most permanent materials used in building construction, it may often be improved in appearance by the application of paint—and the resale value of the property can be reasonably increased.

Five Smart Color Combinations

All colors in this chart are standard Glidden colors appearing on Glidden color cards.



Many owners of brick homes, depending almost entirely on the bricks themselves for color effects, feel that their homes are too drab, especially in this modern age of colorful exteriors. Brick surfaces take on a bright, cheerful appearance when painted in light colors that reflect the light well. Where brick natural colorings are attractive, color can be used in the trim to "accent" this beauty.

Paint Seals Out the Water

During a long rainy season, probably a ton or more of water is absorbed by an unpainted brick structure. This creates a strain on the framework and a damp, unhealthy interior atmosphere.





ARE A PART OF YOUR HOME YOUR Jarage AND YOUR Jotch

Color is the keynote today, but because porches and porch furniture are exposed to the weather, finishes must be resistant to moisture and Although the outside of your garage should be painted to harmonize Both should harmonize with the house as well as with the landscape. sunlight, as well as to accumulations of dust, dirt, smoke and grime.

with the house, the inside should be painted as a matter of protection against dampness, which so often sets up rust and decay.



for your porch,

Use bright, enduring colors

Body of House-Glidden Enance Paint White. Ceiling-

OPEN PORCH (Above) .

Pillars and Trim-Endur-Oak and Gliddenspar Varnish. Floor-Glidden Porch and SLEEPING PORCH (Right)

FOR YOUR SLEEPING PORCH

Paint Centennial Brown, Trim Tint. Ceiling-Endurance

Floor - Florenamel Oak.

Body-Endurance Paint Flesh Endurance Paint White. GARAGE . Body-Endur-

Deck Paint Medium Grav.

ance Paint Pearl Gray, Trim Endurance Point Cream Roof-Endurance

Paint Medium Blue.

The color scheme should follow closely the treatments used for inside bedrooms. Washable colors should be used due to the exposure of the porch to moisture and dust accumulations.



PAINTED FARM BUILDINGS ARE A MARK OF DISTINCTION

Successful farmers realize that good paint, properly applied on homes, barns, farm buildings, and implements has a practical dollars and cents value. It adds to the attractive, prosperous appearance of a farm... a well painted farm looks better, sells more readily, and brings more money.

FARM SCENE: BARN · Body—Glidden Barn Paint Gray. Roof—Barn Paint Red. Trim—Glidden Endurance Paint White. Cupolba—Metallite. Boors—Endurance Paint White. SILO · Roof—Barn Paint Red. Sides—Barn Paint Gray. Cupolas—Metallite. HOUSE AND SMALL HOUSE · Body—Endurance Paint Light Buff. Trim—Endurance Paint Crylight Green. Roof—Endurance Shingle Stain Dark Brown.

aint Is a Good Investment

Good paint protects the surface of your buildings from the ravages of the elements. Your buildings last longer, look better, and are a better all-round investment. Because of their bright, natural surroundings, farm buildings lend themselves to colorful paint treatment. Glidden Paints provide color and lasting protection for everything on the farm.


A Good Roof Is Good Insurance

A roof properly protected against the weather with Glidden Endurance Asphalt Asbestos Roof Coating (liquid) is cheap insurance for the objects in the building.

Protect Your Machinery

Don't allow rust to steal the money you have put into your farm equipment. Paint frequently.

TRACTOR · Body—Implement and Tractor Paint Blue. Wheels—Implement and Tractor Paint Yellow. Motor—Implement and Tractor Paint Yellow. Motor—Implement and Tractor Paint Fordson Gray. Automobile—Speedensmel Polo Beise, BARN · Body—Ban, Paint



Preparing the Surface

HOUSE EXTERIORS . . . (Previously Painted). All loose and

scaly paint should be scraped off with a putty knife or wire brush. (Proceed as outlined on page 30). Check for needed repairs. All loose boards should be nailed tight. Window sash should be re-puttied if necessary. Gutters should be clean and rust and scale removed with a wire brush. New Wood: Moisture in new plaster within the home and unprotected new exterior wood should be allowed

to dry out thoroughly before painting.



ings nailed down and all cracks and nail holes puttied. grease are thoroughly removed, loose boards and mold-


SCREENS . . . Screens should be painted in the age. All dust and rust should be removed with a cloth and a stiff bristle brush. Mending and repairs are to be spring and again in the fall to prevent rust during stormade before painting. With the Jiffy Brush, you can paint screens better-in half the time.



EXTERIOR STUCCO, BRICK AND CEMENT ... Remove all loose scale and old paint with wire brush to provide solid surface for repainting and be sure surface is absolutely dry. (Proceed as outlined on


FLOORS . . . Clean surface with a good cleaner or soap and water WOODWORK, FURNITURE INTERIOR

and rinse freely after removing any wax or grease with turpentine. The oil dressing on all new linoleum must be removed before



Hammer down all protruding nails.

On woodwork and furniture we advise removing all knobs, handles and hooks. Then sand with the grain, using a wood block covered with sandpaper to remove the gloss so the new coat will adhere properly. Dust thoroughly When painting floors start in the farthest corner from door. (Proceed as outlined on pages 28 and 29.)



Fill cracks and crevices with patching plaster and sand smooth when dry.

Kalsomine should be removed by washing thoroughly with hot water before refinishing.




Wash dust and grease off previously painted walls with hot water, or better still, use Slick Cleaner. Fill all cracks and crevices with patching plaster and sand smooth. The removing of electric light plug flush plates will make wall painting easier. (Proceed as outlined on pages 28 and 29).

Interior Painting

FURNITURE AND WOODWORK ...

ENAMELING ... Use Glidden Jap - A - Lac ... Use Ripolin Q. D. Enamel for any surface where Enamel for a smooth, even gloss finish on all surfaces the finest finish obtainable is desired . . . Use Speed-Wall Semi-Gloss for a washable, satin-like finish. Prepare the surface as outlined on page 27. When painting chairs, tables or other like articles of furniture,



Apply one or two coats of Gliddencoat on new work, old work where the finish has been removed or on work where a radical color change is made. After drying, sandpaper the last coat of undercoat. Spots on old work that are chipped or worn should be sandpapered to a smooth edge before applying Gliddencoat.

Jap-A-Lac and other enamels should be flowed on freely. Jap-A-Lac, Ripolin and Speed-Wall, under ordinary conditions, will cover in one coat if the color change is not too decided. They dry without brush marks. Sufficient time should be allowed for drying between coats where more than one coat is needed.

A piece of light metal makes an excellent guard when painting woodwork.



VARNISHING . . . (Furniture and Wood-

Use Wearette for woodwork and furniture . . . Use Lik-A-Rub for a flat non-gloss finish on woodwork and furniture . . . Use Gliddenspar for exterior or interior woodwork-the finest finish made.

Prepare the surface as outlined on page 27. Give badly



VARNISHING . . . (Floors). New Wood: New floors (after the staining and filling of open grained wood) should be built up with coats of Floorette Varnish. Reduce first coat 10% with turpentine. Never use shellac any place in a floor finishing schedule. Old Varnished Floors: Thoroughly clean, dry and prepare as on page 27. One or two coats of Floorette without thinning is sufficient. Linoleum: Prepare surface as on page 27. Thoroughly remove grease and oil. Speedoleum is a clear finish for linoleum and can be applied quickly and easily with a special long-handled applicator or brush.

painted, papered, or kalsomined and unpainted WALLS AND CEILINGS ... (Previously wallboard).

quick drying finish with the hardness of enamel. No dining rooms or wherever a flat, colorful, washable finish is desired . . . Use Speed-Wall Semi-Gloss for a glare, washes easily. Modern colors . . . Use Speed-Wall Use Glidden Speed-Wall Flat in bedrooms, living rooms,

Gloss for kitchens, baths, and woodwork when an excellent high gloss finish is desired . . . Use Ad-El-Ite Hygienic Kalsomine—an economical finish for ceilings, basements, stairways, recreation rooms, etc. Reflect-O-Lite, a new type, washable, cold water paint is also highly recommended for the same purpose, Prepare the surface as outlined on page 27.

All new walls, unpainted wallboard and walls from which paper and kalsomine have been removed must, first, be given a sealing coat of Glidden Oil First Coater to overcome suction. Bare spots or any surface showing checks on previously painted walls must also be treated with Oil First Coater.



Always paint ceilings first. Do not carry an excess of paint on the brush. Wall paints should be flowed on and not brushed out too well. Do not stop in the center of the wall or ceiling for laps will occur. Paint up to a corner, door or window before stopping.

CRUMPLED ROLL FINISH ... First apply solid color as described above. After thoroughly

worn spots a coat of varnish and let it dry before applying complete first coat. Flow varnish first across the grain and then brush it out lightly with the grain. Varnish can be thinned with turpentine. If a second coat is necessary, sandpaper lightly with the grain between coats as shown at the right.

VARNISH STAINING . . . (Furniture

and Woodwork).



Use Jap-A-Lac Varnish Stains, They stain and varnish furniture, woodwork and floors in one operation. Prepare the surface as outlined on page 27. Mahogany and Walnut effects can be produced with one or two coats. Oak and Natural shades must first have an undercoat of Jap-A-Lac Ground Color before applying the light shades. Beautiful grained effects can be produced with Jap-A-Lac Graining Color and Tool. Complete instructions accompany each can.

FLOORS... Use Glidden Florenamel, a true enamel for wood, linoleum or concrete.

Use Gliddenspar—the finest varnish made for interiors and exteriors . . . Use Floorette Varnish for a perfect finish on all wood floors . . . Use Jap-A-Lac Varnish Stains (See Varnish Staining above) . . . Use Speedoleum for a clear protective coating for old or new linoleum.

ENAMELING... (Floors). Florenamel should be thinned with 10% turpentine to the gallon for new wood or badly worn surface. Second coat should be applied as it comes from the can. Flow second coat on without brushing in.

Stippling Patterns: A contrasting color of Florenamel may be stippled on a newly painted wood floor or linoleum using a sponge cut flat on one side or a special stippling sponge with handle. Pour the stipple coat in a flat pan or brush out on pan or smooth board. After dampening sponge, dip flattened side in stipple coat and daub on floor. When dry apply protective coat of Speedoleum Linoleum Finish.



dry, apply second color, rolling a crumpled paper over the second color immediately after it is applied. The paper picks up the second color allowing first coat to show through forming a pattern. STIPPLING . . . Apply the first coat as above and allow to dry. Apply the second color and before it is dry, tamp with a large flat-faced stipple brush thus producing a stippled or sand-finished effect.



Miscellaneous

USE THE PROPER BRUSH... A brush is just as important to a good paint job as quality finishing material. In the Related Line there is a special type of brush for every class of work. Let us recommend the right Related Brush for your job.



STIR PAINT THOROUGHLY ... Be sure to thoroughly mix settled pigment and oil in

can before using. Use a square end paddle so pigment

in bottom corners of can may be removed.

Pour the oil into an empty clean can. Mix remaining

Pour the oil into an empty clean can. Mix remaining pigment well, pouring back oil a little at a time during process. Pour back and forth from one can to another several times.

IMPORTANTI

We are color authorities. Come to our store and we will show you in our large Glidden "Age of Color" book hundreds of additional beautiful, and entirely different, color schemes for the inside and outside of your home—that are authentically correct.

Exterior Painting

Follow directions for preparation of surface as outlined on page 27. A dry, clean, well prepared surface is essential.



WOOD ... (Previously painted). Use Glidden Endurance Paint (Prepared) for greater protection.

Use Glidden Base-Coat as the perfect primer.


Endurance Paint (Prepared) thinned as directed. Allow at least two days for drying. Mix paint thoroughly as previously outlined on page 29. Stir paint occasionally while using. Protect shrubs and flowers with a tarpaulin. All bare spots should be primed with Base-Coat or

For best results, paint on a clear, dry day when the temperature is between 50° and 80°.


old wood as directed on the can or Glidden Base-Coat which is especially formulated for priming work. Start from eaves First coat should be Endurance Paint (Prepared) thinned for and work down. Wipe off all cobwebs and dirt as you proceed.

at the edge of a window, door or house edge so laps will not show. Allow plenty of time for each coat to dry, longer if weather is damp or cold. All coats should be well brushed into the surface. The brush strokes should run with the grain of the wood. The first or base coat should be applied to trim sections as well as the body of the house. When stopping for the day, stop

Between first or base coat and next coat putty nail holes and caulk crevices and cracks around windows, door frames, chimneys and dormers.



Trim Color. Choose a color that will harmonize with body color as suggested in the pages of this book.



Prepare the surface as directed on page 27. Give the badly worn spots a prime coat thinned as directed for new wood on the can. Allow to dry thoroughly. Then apply one or two coats without thinning. ROOFS . . . Use Glidden Endurance Asphalt Asbestos Roof Coating in liquid, plastic, or fibrated form for greater roof protection . . . Use Factory and Roof Paint for a durable, inexpensive roof coating in color

Glidden Endurance Roof Coating impregnates the surface forming an elastic water-proof coat on metal, composition, paper or felt roofs. It is pure asphalt requiring no heating. Brush on like a paint using either the 3 knot roofing brush or a regular large heavy bristle brush.

For patching around chimneys, gutters and dormers, use Endurance Roof Coating in the plastic form. Apply with a trowel.



METAL SURFACES ... Be sure the surface GUTTERS AND OTHER EXTERIOR

is clean and that all rust and loose paint are removed

then proceed with finishing coats. The use of these two Prime first with Glidtite Primer or Liquid Red Lead, products greatly improves the durability and protective with a stiff wire brush.

qualities of any finishing coat.

amateur can produce the lustre, gloss and beauty of a factory finished car. This hard, tough finish flows on AUTOMOBILES . . . Use Speedenamel—an smoothly without brush marks.

surface. Wipe the car carefully to remove dust, paying particular attention to cracks, joints and out of the way places. Paint the body of the car by sections. Lay down the dust by wetting floors, walls and ceiling of garage. Wash the car carefully to remove wax and grease. When the car is dry, sandpaper to a smooth Apply one or two coats allowing overnight to dry.



NEW WOOD ... See page 27 for the proper preparation of the surface. For best results, first coat or prime with Base-Coat over entire properly thinned as directed on the package. For the second coat reduce Endurance Paint (Prepared) with a half pint of turpentine to each gallon. The surface without reduction. Or, if you wish, use Endurance Paint (Prepared) third or finishing coat should be applied as the paint comes from the can.


STUCCO, BRICK AND CEMENT ...

Use Glidden Liquid Cement Coating for decoration and for protection against moisture . . . Use Liquid Cement Coating Mixing Liquid for thinning.

tion of the surface. Brush the Liquid Cement Coating well into the cracks and crevices so as to present a weather-tight surface. The first coat only Prepare the surface as outlined on page 27. Liquid Cement Coating is ideal for treatment of any of these surfaces. It keeps out moisture and prevents deteriora-



Shingle Stain for beauty and as protection against rot and decay. Its creosote base also makes it especially effective as a preventive for wood boring insects.



Shingle Stain thus assuring great penetration and lasting protection. A second coat should be brushed on after shingles are laid in order to give a uniform color. Previously laid shingles may be given color and brightness by brushing on a coat or two of Shingle Stain in the de-

PORCH FLOORS AND STEPS ...

Use Porch and Deck Paint for a traffic-proof finish . . . Use Florenamel for beauty and long wear. Porch and Deck Paint and Florenamel are two out-



should be thinned with Liquid Cement Coating Mixing Liquid.

Other Glidden Products

Speedenamel is just as satisfactory for other outdoor painting such as lawn

furniture, implements and tools.

JAP-A-LAC STOVE PIPE ENAMEL . . . glossy, heatproof, black finish for stove pipes, furnace fronts, radiators, etc.

JAP-A-LAC FLOOR WAX . . . an outstanding paste wax. REN-O-WAX . . . no rubbing—self-polishing floor wax.

REN-0-VITE AUTO POLISH . . . retains its lustre indefinitely. FLOOR AND FURNITURE POLISH ... restores original beauty.

BATH TUB ENAMEL . . . a porcelain-like high gloss finish. METAL POLISH . . . dissolves grease, removes dirt and rust.

JAP-A-LAC GOLD AND ALUMINUM ... for finishing radiators, tables or any surface where a metal-like surface is desired



All Glidden Quality Paints carry the famous Time-Tested Mark of Quality, recognized everywhere as absolute proof of paint dependability. COPYRIGHT, 1937, THE GLIDDEN COMPANY, CLEVELAND, OHIO, PRINTED IN U.S. A. PRODUCED BY MANZ CORPORATION. CHICAGO, NEW YORK

